ELSEVIER

Forest Ecology and Management 194 (2004) 415–416

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 194

VOLUME 194, ISSUES 1–3 **14 JUNE 2004**

Effects of canopy cover and understory environment of tree plantations on richness, density and size of colonizing woody species in southern Ethiopia
M. Lemenih, T. Gidyelew (Shashemene, Ethiopia) and D. Teketay (Addis Ababa, Ethiopia) 1
Uncommon bryophytes in Swedish forests—key habitats and production forests compared
L. Gustafsson (Uppsala, Sweden), K. Hylander (Umeå, Sweden) and C. Jacobson (Stockholm, Sweden) 11
Ecological role of termites (Insecta, Isoptera) in tree trunks in central Amazonian rain forests
F.E. Apolinário (Manaus, Brazil) and C. Martius (Bonn, Germany) 23
Use of interactive forest growth simulation to characterise spatial stand structure
L. Parrott (Montréal, Canada) and H. Lange (Ås, Norway) 29
Habitat selection by sympatric muntjac (*Muntiacus reevesi*) and roe deer (*Capreolus capreolus*) in a lowland commercial pine forest
M.R. Hemami, A.R. Watkinson and P.M. Dolman (Norwich, UK) 49
Influence of deadwood on density of soil macro-arthropods in a managed oak–beech forest
M. Jabin, D. Mohr, H. Kappes and W. Topp (Köln, Germany) 61
The influence of fire and windthrow dynamics on a coastal spruce–hemlock forest in Oregon, USA, based on aerial photographs spanning 40 years
P.A. Harcombe (Houston, TX, USA), S.E. Greene (Corvallis, OR, USA), M.G. Kramer (Moffett Field, CA, USA), S.A. Acker (Port Angeles, WA, USA), T.A. Spies and T. Valentine (Corvallis, OR, USA) 71
Productivity, crown architecture, and gas exchange of North Carolina and Oklahoma/Arkansas loblolly pine families growing on a droughty site in southeastern Oklahoma
M.A. Blazier, T.C. Hennessey, T.B. Lynch, R.F. Wittwer and M.E. Payton (Stillwater, OK, USA) 83
Impact of the invasive shrub glossy buckthorn (*Rhamnus frangula* L.) on juvenile recruitment by canopy trees
M.E. Fagan and D.R. Peart (Hanover, NH, USA) 95
Forecasting landscape-level carbon sequestration using gridded, spatially adjusted tree growth
C. Dean, S. Roxburgh and B.G. Mackey (Canberra, Australia) 109
Structural differences between precommercially thinned and unthinned conifer stands
J.A. Homyack, D.J. Harrison and W.B. Krohn (Orono, ME, USA) 131
Using a system mixed-effects modeling method to estimate tree compartment biomass for intensively managed loblolly pines—an allometric approach
Y. Zhang and B.E. Borders (Athens, GA, USA) 145
Incidence of tomentosus root disease relative to spruce density and slope position in south-central Alaska
K.J. Lewis (Prince George, Canada), L.M. Trummer (Anchorage, AK, USA) and R. Douglas Thompson (Prince George, Canada) 159
Genetic variation of *Eucalyptus globulus* in relation to autumn gum moth *Mnesampela privata* (Lepidoptera: Geometridae) oviposition preference
L.P. Rapley, G.R. Allen and B.M. Potts (Hobart, Australia) 169
Geographic pattern of local optimality in natural populations of lodgepole pine
H.X. Wu (Canberra, Australia) and C.C. Ying (Victoria, Canada) 177
Riparian buffers mitigate effects of pine plantation logging on New Zealand streams. 1. Riparian vegetation structure, stream geomorphology and periphyton
I.K.G. Boothroyd, J.M. Quinn (Hamilton, New Zealand), E.R. (Lisa) Langer (Christchurch, New Zealand), K.J. Costley (Hamilton, New Zealand) and G. Steward (Rotorua, New Zealand) 199
Soil rehabilitation following tractor logging: early results on amendments and tilling in a second rotation *Acacia mangium* plantation in Sabah, Malaysia
U. Ilstedt (Sindang Barang, Indonesia), A. Malmer, A. Nordgren (Umeå, Sweden) and P. Liau (Sabah, Malaysia) 215

doi:10.1016/S0378-1127(04)00278-6

Performance of *Quercus ilex* saplings planted in abandoned Mediterranean cropland after long-term interruption of their management
J.M. Rey Benayas (Alcalá de Henares, Spain) and A. Camacho-Cruz (San Cristóbal de Las Casas, Mexico) 223
Dead wood in semi-natural temperate broadleaved woodland: contribution of coarse and fine dead wood, attached dead wood and stumps
B. Nordén, F. Götmark, M. Tönnberg and M. Ryberg (Göteborg, Sweden) 235
Development of an 80-year-old mixed stand with retained *Pinus sylvestris* in Northern Sweden
R. Jakobsson and B. Elfving (Umeå, Sweden) 249
Climbers and logging in the Forêt Classée du Haut-Sassandra, Côte-d'Ivoire
F.N'. Kouamé (Abidjan, Côte d'Ivoire and Wageningen, The Netherlands), F. Bongers, L. Poorter (Wageningen, The Netherlands) and D. Traoré (Abidjan, Côte d'Ivoire and Wageningen, The Netherlands) 259
Forest structure characteristics in disturbed and undisturbed sites of Mt. Elgon Moist Lower Montane Forest, western Kenya
J. Hitimana, J. Legilisho Kiyiapi and J. Thairu Njunge (Eldoret, Kenya) 269
Bacillus spp. and *Pisolithus tinctorius* effects on *Quercus ilex* ssp. ballota: a study on tree growth, rhizosphere community structure and mycorrhizal infection
J. Domenech, B. Ramos-Solano, A. Probanza, J.A. Lucas-García, J.J. Colón and F.J. Gutiérrez-Mañero (Madrid, Spain) 293
Sawfly (Hym., Diprionidae) outbreaks on Scots pine: effect of stand structure, site quality and relative tree position on defoliation intensity
B. De Somviele (Joensuu, Finland), P. Lyytikäinen-Saarenmaa (Joensuu, Finland and Helsinki, Finland) and P. Niemelä (Joensuu, Finland) 305
Dendrometry and morphometry of *Pinus pinea* L. in Lower Provence (France): adaptability and variability of provenances
M. Court-Picon, C. Gadbin-Henry, F. Guibal and M. Roux (Marseille, France) 319
Dimensional relationships of naturally established European beech trees beneath Scots pine and Silver birch canopy
B. Prévosto and T. Curt (Aubiere, France) 335
Reconstructing spatiotemporal dynamics of Central European natural beech forests: the rule-based forest model BEFORE
C. Rademacher, C. Neuert (Leipzig, Germany), V. Grundmann (Gießen, Germany), C. Wissel and V. Grimm (Leipzig, Germany) 349
Spatial analysis of woodfuel supply and demand in Kampong Thom Province, Cambodia
N. Top (Miyazaki, Japan), N. Mizoue (Fukuoka, Japan), S. Ito and S. Kai (Miyazaki, Japan) 369
Effects of soil temperature on ecophysiological traits in seedlings of four boreal tree species
Q.-L. Dang and S. Cheng (Thunder Bay, Canada) 379
Structure and dynamics of tree populations within unsuccessful conifer plantations near the Shirakami Mountains, a snowy region of Japan
T. Masaki, T. Ota, H. Sugita, H. Oohara (Iwate, Japan), T. Otani (Kumamoto, Japan), T. Nagaike (Yamanashi, Japan) and S. Nakamura (Ibaraki, Japan) 389
Canopy height changes of an old-growth evergreen broad-leaved forest analyzed with digital elevation models
A. Itaya, M. Miura and S.-I. Yamamoto (Nagoya, Japan) 403

Corrigendum

Corrigendum to "Net primary productivity in forests of China: scaling-up of national inventory data and comparison with model predictions". [Forest Ecol. Manage. 187 (2003) 485–495]
J. Ni (Beijing, China and Jena, Germany) 413

Contents of *Forest Ecology and Management*, Volume 194 415